ELSEVIER

Volume 180, Issues 1–3, 1 December 2006

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Experimental characterisation in sheet forming processes by using Vickers micro-hardness technique 1
A. Mkaddem, R. Bahloul, P. Dal Santo, A. Potiron

Study of the mechanism of the burnishing process with cylindrical polycrystalline diamond tools 9
H. Luo, J. Liu, L. Wang, Q. Zhong

Superplastic micro-forming with a fine grained Zn–22Al eutectoid alloy using hot embossing technology 17
M.S. Yeh, H.Y. Lin, H.T. Lin, C.B. Chang

Prediction of cutting force for self-propelled rotary tool using artificial neural networks 23
W. Hao, X. Zhu, X. Li, G. Turyagyenda

The finite element analysis of equal channel angular pressing (ECAP) considering the strain path dependence of the work hardening of metals 30
R.B. Figueiredo, I.P. Pinheiro, M.T.P. Aguilar, P.J. Modenesi, P.R. Cetlin

The influence of pressure during solidification of high pressure die cast aluminium telecommunications components 37
M.S. Dargusch, G. Dour, N. Schauer, C.M. Dinnis, G. Savage

Influence of deformation temperature on the ferrite grain refinement in a low carbon Nb–Ti microalloyed steel 44
B. Eghbali, A. Abdollah-zadeh

A moving boundary formulation for recursive plastic heat release during friction stir welding 49
K.M. Williamson, T. Abdel-Salam

A study of surface deflection in pressed automobile panels 53
Z. Sun, Y. Yang

Refining mechanism of salts containing Ti and B elements in purity aluminum 60
Z. Henghua, T. Xuan, S. Guangjie, X. Luoping

Physical property and electrical conductivity of electroless Ag-plated carbon fiber-reinforced paper 66
J. Jang, S.K. Ryu

Spiral cutting operation strategy for machining of sculptured surfaces by conformal map approach 74
Y.-W. Sun, D.-M. Guo, Z.-Y. Jia

In-process evaluation of grit protrusion feature for fine diamond grinding wheel by means of electro-contact discharge dressing 83
J. Xie, J. Tamaki

Ultrasonic elliptical vibration transducer driven by single actuator and its application in precision cutting 91
X. Li, D. Zhang

Optimization of the WEDM process of particle-reinforced material with multiple performance characteristics using grey relational analysis 96
K.-T. Chiang, F.-P. Chang

Development of a micro-punching machine and study on the influence of vibration machining in micro-EDM 102
G.-L. Chern, Y.-J.E. Wu, S.-F. Liu

Melt depth prediction for laser irradiated magnesia partially stabilised zirconia 110
L. Hao, J. Lawrence

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

Elsevier B.V.

Turning of glass–fiber reinforced plastics materials with chamfered main cutting edge carbide tools 117
C.-S. Chang

Characteristics of Rb40 steel superficial layer under ball and roller burnishing 130
H. Hamadache, L. Laouar, N.E. Zeghib, K. Chaoui

Martensite microstructure of 9–12%Cr steels weld metals 137
J. Oñoro

Modelling and experimental analysis of the effects of tool wear on form errors in stainless steel blanking 143
J.J. Hernández, P. Franco, M. Estrems, F. Faura

Study on vibration-EDM and mass punching of micro-holes 151
G.-L. Chern, Y. Chuang

Optimization of squeeze cast parameters of LM6 aluminium alloy for surface roughness using Taguchi method 161
P. Vijian, V.P. Arunachalam

Modeling the compressive strength of molasses–cement sand system using design of experiments and back propagation neural network 167
A. Mandal, P. Roy

Plastic deformation and yield criterion for compressible sintered powder materials 174
L. Hua, X. Qin, H. Mao, Y. Zhao

Study on process of dual-frequency electromagnetic confinement and shaping for stainless steel 179
S. Changjiang, L. Gaofei, X. Zhenming, S. Jun, L. Jianguo

Investigation of lubrication effect on the backward extrusion of thin-walled rectangular aluminum case with large aspect ratio 185
S.H. Kim, S.W. Chung, S. Padmanaban

Rigid-plastic finite element analysis of plastic deformation of porous metal sheets containing internal void defects 193
D.-C. Chen

Riveted assembly modelling: Study and numerical characterisation of a riveting process 201
V. Blanchot, A. Daidie

A study of materials swelling and recovery in single-point diamond turning of ductile materials 210
M.C. Kong, W.B. Lee, C.F. Cheung, S. To

Studies on softening of heat-affected zone of pulsed-current GMA welded Al–Zn–Mg alloy 216
G. Fu, F. Tian, H. Wang

An assessment of finite element software for application to the roll-forming process 221
M.A. Sheikh, R.R. Palavilayil

Surface roughness measurement on machined surfaces using angular speckle correlation 233
U. Persson

Stress analysis of high temperature ZrO_2 insulation coatings on Ag using finite element method 239
F. Sen, O. Sayman, M. Toparli, E. Celik

Surface finishing of die and tool steels via plasma-based electron beam irradiation 246
Z. Yu, Z.G. Wang, K. Yamazaki, S. Sano

Tool wear and machining performance of cBN–TiN coated carbide inserts and PCBN compact inserts in turning AISI 4340 hardened steel . . . 253
A.S. More, W. Jiang, W.D. Brown, A.P. Malshe

Effect of welding parameters on mechanical and microstructural properties of AA6056 joints produced by Friction Stir Welding 263
P. Cavaliere, G. Campanile, F. Panella, A. Squillace

FEM optimization of tool geometry based on the machined near surface's residual stresses generated in diamond turning 271
W.J. Zong, T. Sun, D. Li, K. Cheng, Y.C. Liang

Reduction of thermally induced stress in a solid disk heated with radially periodic expanding and contracting ring heat flux 279
H. Yapıcı, G. Baştürk

The influence of the pressure formation at the tip of the melt delivery tube on tin powder size and gas/melt ratio in gas atomization method 291
R. Ünal

An experimental study of tool wear and cutting force variation in the end milling of Inconel 718 with coated carbide inserts 296
H.Z. Li, H. Zeng, X.Q. Chen

A power spectrum analysis of effect of rolling texture on cutting forces in single-point diamond turning 305
Y.K. Sze, W.B. Lee, C.F. Cheung, S. To

A simple experimental tooling with internal pressure source used for evaluation of material formability in tube hydroforming 310
Y. Lianfa, G. Cheng

Microstructural changes produced by plastic deformation in the UNS S31803 duplex stainless steel 318
S.S.M. Tavares, M.R. da Silva, J.M. Pardal, H.F.G. Abreu, A.M. Gomes

FEM analysis for V–H rolling process by updating geometric method 323
H. Yu, X. Liu, X. Zhao, Y. Kusaba

An automated flank wear measurement of microdrills using machine vision 328
J.C. Su, C.K. Huang, Y.S. Tarng

Author index 336

Subject index 337

ELSEVIER

Journal of Materials Processing Technology 180 (2006) 336

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 180

Abdel-Salam, T., 49
Abdollah-zadeh, A., 44
Abreu, H.F.G., 318
Aguilar, M.T.P., 30
Arunachalam, V.P., 161

Bahloul, R., 1
Baştürk, G., 279
Blanchot, V., 201
Brown, W.D., 253

Campanile, G., 263
Cavaliere, P., 263
Celik, E., 239
Cetlin, P.R., 30
Chang, C.-S., 117
Chang, C.B., 17
Chang, F.-P., 96
Changjiang, S., 179
Chaoui, K., 130
Chen, D.-C., 193
Chen, X.Q., 296
Cheng, G., 310
Cheng, K., 271
Chern, G.-L., 102, 151
Cheung, C.F., 210, 305
Chiang, K.-T., 96
Chuang, Y., 151
Chung, S.W., 185

da Silva, M.R., 318
Daidie, A., 201
Dal Santo, P., 1
Dargusch, M.S., 37
Dinnis, C.M., 37
Dour, G., 37

Eghbali, B., 44
Estrems, M., 143

Faura, F., 143
Figueiredo, R.B., 30
Franco, P., 143
Fu, G., 216

Gaofei, L., 179
Gomes, A.M., 318
Guangjie, S., 60
Guo, D.-M., 74

Hamadache, H., 130
Hao, L., 110
Hao, W., 23
Henghua, Z., 60
Hernández, J.J., 143
Hua, L., 174
Huang, C.K., 328

Jang, J., 66
Jia, Z.-Y., 74
Jiang, W., 253
Jianguo, L., 179
Jun, S., 179

Kim, S.H., 185
Kong, M.C., 210
Kusaba, Y., 323

Laouar, L., 130
Lawrence, J., 110
Lee, W.B., 210, 305
Li, D., 271
Li, H.Z., 296
Li, X., 23, 91
Lianfa, Y., 310
Liang, Y.C., 271
Lin, H.T., 17
Lin, H.Y., 17
Liu, J., 9
Liu, S.-F., 102
Liu, X., 323
Luo, H., 9
Luoping, X., 60

Malshe, A.P., 253
Mandal, A., 167
Mao, H., 174
Mkaddem, A., 1
Modenesi, P.J., 30
More, A.S., 253

Oñoro, J., 137

Padmanaban, S., 185
Palavilayil, R.R., 221
Panella, F., 263
Pardal, J.M., 318
Persson, U., 233
Pinheiro, I.P., 30
Potiron, A., 1

Qin, X., 174

Roy, P., 167
Ryu, S.K., 66

Sano, S., 246
Savage, G., 37
Sayman, O., 239
Schauer, N., 37
Sen, F., 239
Sheikh, M.A., 221
Squillace, A., 263
Su, J.C., 328
Sun, T., 271
Sun, Y.-W., 74
Sun, Z., 53
Sze, Y.K., 305

Tamaki, J., 83
Tarng, Y.S., 328
Tavares, S.S.M., 318
Tian, F., 216
To, S., 210, 305
Toparli, M., 239
Turyagyenda, G., 23

Ünal, R., 291

Vijian, P., 161

Wang, H., 216
Wang, L., 9
Wang, Z.G., 246
Williamson, K.M., 49
Wu, Y.-J.E., 102

Xie, J., 83
Xuan, T., 60

Yamazaki, K., 246
Yang, Y., 53
Yapıcı, H., 279
Yeh, M.S., 17
Yu, H., 323
Yu, Z., 246

Zeghib, N.E., 130
Zeng, H., 296
Zhang, D., 91
Zhao, X., 323
Zhao, Y., 174
Zhenming, X., 179
Zhong, Q., 9
Zhu, X., 23
Zong, W.J., 271

Elsevier B.V.
doi:10.1016/S0924-0136(06)00750-3

ELSEVIER

Journal of Materials Processing Technology 180 (2006) 337–341

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 180

9–12%Cr steel
Martensite microstructure of 9–12%Cr steels weld metals, 137

Abrasive wear
Tool wear and machining performance of cBN–TiN coated carbide inserts and PCBN compact inserts in turning AISI 4340 hardened steel, 253
Aluminum alloys
Studies on softening of heat-affected zone of pulsed-current GMA welded Al–Zn–Mg alloy, 216
Analytical model
Melt depth prediction for laser irradiated magnesia partially stabilised zirconia, 110
Artificial neural network
Modeling the compressive strength of molasses–cement sand system using design of experiments and back propagation neural network, 167
ASC
Surface roughness measurement on machined surfaces using angular speckle correlation, 233
Automobile panel
A study of surface deflection in pressed automobile panels, 53

Backward-extrusion
Investigation of lubrication effect on the backward extrusion of thin-walled rectangular aluminum case with large aspect ratio, 185
Ball burnishing
Characteristics of Rb40 steel superficial layer under ball and roller burnishing, 130
Bending
Experimental characterisation in sheet forming processes by using Vickers micro-hardness technique, 1
Blanking
Modelling and experimental analysis of the effects of tool wear on form errors in stainless steel blanking, 143
Bobbing
Experimental characterisation in sheet forming processes by using Vickers micro-hardness technique, 1
BP
Prediction of cutting force for self-propelled rotary tool using artificial neural networks, 23
Burnishing mechanism
Study of the mechanism of the burnishing process with cylindrical polycrystalline diamond tools, 9

CAD/CAM
Spiral cutting operation strategy for machining of sculptured surfaces by conformal map approach, 74
cBN–TiN coatings
Tool wear and machining performance of cBN–TiN coated carbide inserts and PCBN compact inserts in turning AISI 4340 hardened steel, 253
Cement–molasses sand mix
Modeling the compressive strength of molasses–cement sand system using design of experiments and back propagation neural network, 167
Central composite design
Modeling the compressive strength of molasses–cement sand system using design of experiments and back propagation neural network, 167
Chamfered main cutting edge
Turning of glass–fiber reinforced plastics materials with chamfered main cutting edge carbide tools, 117
Chromium equivalent
Martensite microstructure of 9–12%Cr steels weld metals, 137
CO_2 laser
Melt depth prediction for laser irradiated magnesia partially stabilised zirconia, 110
Coated carbide insert
An experimental study of tool wear and cutting force variation in the end milling of Inconel 718 with coated carbide inserts, 296
Conformal map
Spiral cutting operation strategy for machining of sculptured surfaces by conformal map approach, 74
Crater
Surface finishing of die and tool steels via plasma-based electron beam irradiation, 246
Cutting force
Prediction of cutting force for self-propelled rotary tool using artificial neural networks, 23
Tool wear and machining performance of cBN–TiN coated carbide inserts and PCBN compact inserts in turning AISI 4340 hardened steel, 253
An experimental study of tool wear and cutting force variation in the end milling of Inconel 718 with coated carbide inserts, 296
A power spectrum analysis of effect of rolling texture on cutting forces in single-point diamond turning, 305
Cylindrical PCD tool
Study of the mechanism of the burnishing process with cylindrical polycrystalline diamond tools, 9

Damage
Experimental characterisation in sheet forming processes by using Vickers micro-hardness technique, 1
Diamond grinding wheel
In-process evaluation of grit protrusion feature for fine diamond grinding wheel by means of electro-contact discharge dressing, 83
Diamond turning
FEM optimization of tool geometry based on the machined near surface's residual stresses generated in diamond turning, 271
Die casting
The influence of pressure during solidification of high pressure die cast aluminium telecommunications components, 37

Elsevier B.V.
doi:10.1016/S0924-0136(06)00751-5

Die steel
Surface finishing of die and tool steels via plasma-based electron beam irradiation, 246
Discharge current
In-process evaluation of grit protrusion feature for fine diamond grinding wheel by means of electro-contact discharge dressing, 83
Discharge pulse duration
In-process evaluation of grit protrusion feature for fine diamond grinding wheel by means of electro-contact discharge dressing, 83
Double-curved shallow shell
A study of surface deflection in pressed automobile panels, 53
Dual-frequency
Study on process of dual-frequency electromagnetic confinement and shaping for stainless steel, 179
Ductile materials
A study of materials swelling and recovery in single-point diamond turning of ductile materials, 210
Duplex stainless steels
Microstructural changes produced by plastic deformation in the UNS S31803 duplex stainless steel, 318

ECAP
The finite element analysis of equal channel angular pressing (ECAP) considering the strain path dependence of the work hardening of metals, 30
Edge detection
An automated flank wear measurement of microdrills using machine vision, 328
Effective clearance
Modelling and experimental analysis of the effects of tool wear on form errors in stainless steel blanking, 143
Electrical properties
Physical property and electrical conductivity of electroless Ag-plated carbon fiber-reinforced paper, 66
Electro-contact discharge dressing
In-process evaluation of grit protrusion feature for fine diamond grinding wheel by means of electro-contact discharge dressing, 83
Electromagnetic processing of materials
Study on process of dual-frequency electromagnetic confinement and shaping for stainless steel, 179
Electron beam
Surface finishing of die and tool steels via plasma-based electron beam irradiation, 246
Elliptical vibration
Ultrasonic elliptical vibration transducer driven by single actuator and its application in precision cutting, 91
End milling
An experimental study of tool wear and cutting force variation in the end milling of Inconel 718 with coated carbide inserts, 296
Evaluation criterion
A study of surface deflection in pressed automobile panels, 53
Experimental tooling
A simple experimental tooling with internal pressure source used for evaluation of material formability in tube hydroforming, 310

Fatigue
Effect of welding parameters on mechanical and microstructural properties of AA6056 joints produced by Friction Stir Welding, 263
Finite element method (FEM)
Ultrasonic elliptical vibration transducer driven by single actuator and its application in precision cutting, 91
Stress analysis of high temperature ZrO_2 insulation coatings on Ag using finite element method, 239
FEM optimization of tool geometry based on the machined near surface's residual stresses generated in diamond turning, 271
FEM analysis for V–H rolling process by updating geometric method, 323
Finite element modelling
The finite element analysis of equal channel angular pressing (ECAP) considering the strain path dependence of the work hardening of metals, 30
An assessment of finite element software for application to the roll-forming process, 221
Flank wear measurement
An automated flank wear measurement of microdrills using machine vision, 328
Form errors
Modelling and experimental analysis of the effects of tool wear on form errors in stainless steel blanking, 143
Formability
A simple experimental tooling with internal pressure source used for evaluation of material formability in tube hydroforming, 310
Freeform surface machining
Spiral cutting operation strategy for machining of sculptured surfaces by conformal map approach, 74
Friction
Investigation of lubrication effect on the backward extrusion of thin-walled rectangular aluminum case with large aspect ratio, 185
Friction Stir Welding
A moving boundary formulation for recursive plastic heat release during friction stir welding, 49
Effect of welding parameters on mechanical and microstructural properties of AA6056 joints produced by Friction Stir Welding, 263
FVM
Investigation of lubrication effect on the backward extrusion of thin-walled rectangular aluminum case with large aspect ratio, 185

GA
Prediction of cutting force for self-propelled rotary tool using artificial neural networks, 23
Gas atomization
The influence of the pressure formation at the tip of the melt delivery tube on tin powder size and gas/melt ratio in gas atomization method, 291
Glass-fiber-reinforced-plastics (GFRP)
Turning of glass–fiber reinforced plastics materials with chamfered main cutting edge carbide tools, 117
Grain refinement
Influence of deformation temperature on the ferrite grain refinement in a low carbon Nb–Ti microalloyed steel, 44
Grey relational analysis
Optimization of the WEDM process of particle-reinforced material with multiple performance characteristics using grey relational analysis, 96
Grit protrusion
In-process evaluation of grit protrusion feature for fine diamond grinding wheel by means of electro-contact discharge dressing, 83

Hard turning
Tool wear and machining performance of cBN–TiN coated carbide inserts and PCBN compact inserts in turning AISI 4340 hardened steel, 253
Hardness
Characteristics of Rb40 steel superficial layer under ball and roller burnishing, 130
Heat-affected zone
Studies on softening of heat-affected zone of pulsed-current GMA welded Al–Zn–Mg alloy, 216
Heterogeneous nuclei
Refining mechanism of salts containing Ti and B elements in purity aluminum, 60
High speed machining
Spiral cutting operation strategy for machining of sculptured surfaces by conformal map approach, 74

Hot compression
Influence of deformation temperature on the ferrite grain refinement in a low carbon Nb–Ti microalloyed steel, 44
Hot embossing technology
Superplastic micro-forming with a fine grained Zn–22Al eutectoid alloy using hot embossing technology, 17
Hydroforming
A simple experimental tooling with internal pressure source used for evaluation of material formability in tube hydroforming, 310

Image processing
An automated flank wear measurement of microdrills using machine vision, 328
Inconel 718
An experimental study of tool wear and cutting force variation in the end milling of Inconel 718 with coated carbide inserts, 296
Inductor
Study on process of dual-frequency electromagnetic confinement and shaping for stainless steel, 179

LM6 aluminium alloy
Optimization of squeeze cast parameters of LM6 aluminium alloy for surface roughness using Taguchi method, 161
Low carbon microalloyed steel
Influence of deformation temperature on the ferrite grain refinement in a low carbon Nb–Ti microalloyed steel, 44

Machine vision
An automated flank wear measurement of microdrills using machine vision, 328
Machined surface
Surface roughness measurement on machined surfaces using angular speckle correlation, 233
Machining
An experimental study of tool wear and cutting force variation in the end milling of Inconel 718 with coated carbide inserts, 296
Magnesia partially stabilised zirconia
Melt depth prediction for laser irradiated magnesia partially stabilised zirconia, 110
Manufacturing processes
An assessment of finite element software for application to the roll-forming process, 221
Martensite
Martensite microstructure of 9–12%Cr steels weld metals, 137
Martensitic transformation
Microstructural changes produced by plastic deformation in the UNS S31803 duplex stainless steel, 318
Materials swelling
A study of materials swelling and recovery in single-point diamond turning of ductile materials, 210
Mechanism
Refining mechanism of salts containing Ti and B elements in purity aluminum, 60
Melt depth
Melt depth prediction for laser irradiated magnesia partially stabilised zirconia, 110
Metal forming
Investigation of lubrication effect on the backward extrusion of thin-walled rectangular aluminum case with large aspect ratio, 185
Microdrill
An automated flank wear measurement of microdrills using machine vision, 328
Micro-EDM
Development of a micro-punching machine and study on the influence of vibration machining in micro-EDM, 102
Study on vibration-EDM and mass punching of micro-holes, 151
Micro-forming
Superplastic micro-forming with a fine grained Zn–22Al eutectoid alloy using hot embossing technology, 17
Micro-hardness
Experimental characterisation in sheet forming processes by using Vickers micro-hardness technique, 1
Micro-hole
Study on vibration-EDM and mass punching of micro-holes, 151
Micro-punching
Development of a micro-punching machine and study on the influence of vibration machining in micro-EDM, 102
Study on vibration-EDM and mass punching of micro-holes, 151
Moving boundary
A moving boundary formulation for recursive plastic heat release during friction stir welding, 49
Moving heat source
Reduction of thermally induced stress in a solid disk heated with radially periodic expanding and contracting ring heat flux, 279
Multi-passes
FEM analysis for V–H rolling process by updating geometric method, 323

Neural network
Prediction of cutting force for self-propelled rotary tool using artificial neural networks, 23
Numerical simulation
Riveted assembly modelling: Study and numerical characterisation of a riveting process, 201

Optimization
Optimization of the WEDM process of particle-reinforced material with multiple performance characteristics using grey relational analysis, 96

PCB
An automated flank wear measurement of microdrills using machine vision, 328
PCBN
Tool wear and machining performance of cBN–TiN coated carbide inserts and PCBN compact inserts in turning AISI 4340 hardened steel, 253
PCD tools
Ultrasonic elliptical vibration transducer driven by single actuator and its application in precision cutting, 91
Performance characteristic
Optimization of the WEDM process of particle-reinforced material with multiple performance characteristics using grey relational analysis, 96
Plastic constitutive equation
Plastic deformation and yield criterion for compressible sintered powder materials, 174
Plastic deformation
Plastic deformation and yield criterion for compressible sintered powder materials, 174
Polycrystalline
A power spectrum analysis of effect of rolling texture on cutting forces in single-point diamond turning, 305
Porosity
The influence of pressure during solidification of high pressure die cast aluminium telecommunications components, 37
Porous metals rolling
Rigid-plastic finite element analysis of plastic deformation of porous metal sheets containing internal void defects, 193
Power spectrum analysis
A power spectrum analysis of effect of rolling texture on cutting forces in single-point diamond turning, 305
Prediction of compressive strength
Modeling the compressive strength of molasses–cement sand system using design of experiments and back propagation neural network, 167

Pressure
The influence of pressure during solidification of high pressure die cast aluminium telecommunications components, 37
Pressure sensors
The influence of pressure during solidification of high pressure die cast aluminium telecommunications components, 37
Processing parameters
Effect of welding parameters on mechanical and microstructural properties of AA6056 joints produced by Friction Stir Welding, 263
Proportional solenoid
Development of a micro-punching machine and study on the influence of vibration machining in micro-EDM, 102
Purity aluminum
Refining mechanism of salts containing Ti and B elements in purity aluminum, 60

Recovery
A study of materials swelling and recovery in single-point diamond turning of ductile materials, 210
Recursive plastic heating
A moving boundary formulation for recursive plastic heat release during friction stir welding, 49
Regression analysis
FEM optimization of tool geometry based on the machined near surface's residual stresses generated in diamond turning, 271
Residual stresses
Riveted assembly modelling: Study and numerical characterisation of a riveting process, 201
Stress analysis of high temperature ZrO_2 insulation coatings on Ag using finite element method, 239
FEM optimization of tool geometry based on the machined near surface's residual stresses generated in diamond turning, 271
Rigid-plastic finite element
Rigid-plastic finite element analysis of plastic deformation of porous metal sheets containing internal void defects, 193
Ring heat flux
Reduction of thermally induced stress in a solid disk heated with radially periodic expanding and contracting ring heat flux, 279
Rivet
Riveted assembly modelling: Study and numerical characterisation of a riveting process, 201
Riveted assembly
Riveted assembly modelling: Study and numerical characterisation of a riveting process, 201
Riveting process
Riveted assembly modelling: Study and numerical characterisation of a riveting process, 201
Roll forming
An assessment of finite element software for application to the roll-forming process, 221
Roller burnishing
Characteristics of Rb40 steel superficial layer under ball and roller burnishing, 130
Rolling texture
A power spectrum analysis of effect of rolling texture on cutting forces in single-point diamond turning, 305
Roughness
Characteristics of Rb40 steel superficial layer under ball and roller burnishing, 130
Surface roughness measurement on machined surfaces using angular speckle correlation, 233

Salts refiner
Refining mechanism of salts containing Ti and B elements in purity aluminum, 60
Scanning electron microscopy
Physical property and electrical conductivity of electroless Ag-plated carbon fiber-reinforced paper, 66
Self-propelled rotary tool
Prediction of cutting force for self-propelled rotary tool using artificial neural networks, 23
Sheet metal
Experimental characterisation in sheet forming processes by using Vickers micro-hardness technique, 1
Sheet-metal forming
Modelling and experimental analysis of the effects of tool wear on form errors in stainless steel blanking, 143
Silver
Physical property and electrical conductivity of electroless Ag-plated carbon fiber-reinforced paper, 66
Silver white chip (SWC)
Turning of glass–fiber reinforced plastics materials with chamfered main cutting edge carbide tools, 117
Simulation
Study of the mechanism of the burnishing process with cylindrical polycrystalline diamond tools, 9
Single-diamond turning
A power spectrum analysis of effect of rolling texture on cutting forces in single-point diamond turning, 305
Single-point diamond turning
A study of materials swelling and recovery in single-point diamond turning of ductile materials, 210
Sintered powder materials
Plastic deformation and yield criterion for compressible sintered powder materials, 174
Softening
Studies on softening of heat-affected zone of pulsed-current GMA welded Al–Zn–Mg alloy, 216
Sol–gel
Stress analysis of high temperature ZrO_2 insulation coatings on Ag using finite element method, 239
Speckle
Surface roughness measurement on machined surfaces using angular speckle correlation, 233
Spiral tool path
Spiral cutting operation strategy for machining of sculptured surfaces by conformal map approach, 74
Squeeze casting
Optimization of squeeze cast parameters of LM6 aluminium alloy for surface roughness using Taguchi method, 161
Stainless steel
Study on process of dual-frequency electromagnetic confinement and shaping for stainless steel, 179
Straightening
Experimental characterisation in sheet forming processes by using Vickers micro-hardness technique, 1
Strain path
The finite element analysis of equal channel angular pressing (ECAP) considering the strain path dependence of the work hardening of metals, 30
Strain-induced transformation
Influence of deformation temperature on the ferrite grain refinement in a low carbon Nb–Ti microalloyed steel, 44
Structural properties
Physical property and electrical conductivity of electroless Ag-plated carbon fiber-reinforced paper, 66
Superforge
Investigation of lubrication effect on the backward extrusion of thin-walled rectangular aluminum case with large aspect ratio, 185
Superplasticity
Superplastic micro-forming with a fine grained Zn–22Al eutectoid alloy using hot embossing technology, 17
Supersonic nozzle
The influence of the pressure formation at the tip of the melt delivery tube on tin powder size and gas/melt ratio in gas atomization method, 291

Surface deflection
A study of surface deflection in pressed automobile panels, 53
Surface roughness
Optimization of squeeze cast parameters of LM6 aluminium alloy for surface roughness using Taguchi method, 161
A study of materials swelling and recovery in single-point diamond turning of ductile materials, 210
Surface finishing of die and tool steels via plasma-based electron beam irradiation, 246
Tool wear and machining performance of cBN–TiN coated carbide inserts and PCBN compact inserts in turning AISI 4340 hardened steel, 253

Taguchi method
Optimization of squeeze cast parameters of LM6 aluminium alloy for surface roughness using Taguchi method, 161
TEM_{01} beam mode
Melt depth prediction for laser irradiated magnesia partially stabilised zirconia, 110
Temperature distribution
Reduction of thermally induced stress in a solid disk heated with radially periodic expanding and contracting ring heat flux, 279
Thermal simulation
Studies on softening of heat-affected zone of pulsed-current GMA welded Al–Zn–Mg alloy, 216
Thermal stress
Reduction of thermally induced stress in a solid disk heated with radially periodic expanding and contracting ring heat flux, 279
Thermal stress analysis
Stress analysis of high temperature ZrO_2 insulation coatings on Ag using finite element method, 239
Tool steel
Surface finishing of die and tool steels via plasma-based electron beam irradiation, 246
Tool wear
Modelling and experimental analysis of the effects of tool wear on form errors in stainless steel blanking, 143
An experimental study of tool wear and cutting force variation in the end milling of Inconel 718 with coated carbide inserts, 296
Transducer
Ultrasonic elliptical vibration transducer driven by single actuator and its application in precision cutting, 91
Tube
A simple experimental tooling with internal pressure source used for evaluation of material formability in tube hydroforming, 310

Updating geometric method
FEM analysis for V–H rolling process by updating geometric method, 323

V–H rolling process
FEM analysis for V–H rolling process by updating geometric method, 323
Vibration machining
Development of a micro-punching machine and study on the influence of vibration machining in micro-EDM, 102
Study on vibration-EDM and mass punching of micro-holes, 151
Vibration-EDM
Study on vibration-EDM and mass punching of micro-holes, 151
Void defect
Rigid-plastic finite element analysis of plastic deformation of porous metal sheets containing internal void defects, 193

Wear
Characteristics of Rb40 steel superficial layer under ball and roller burnishing, 130
WEDG
Development of a micro-punching machine and study on the influence of vibration machining in micro-EDM, 102
Study on vibration-EDM and mass punching of micro-holes, 151
Weld metal
Martensite microstructure of 9–12%Cr steels weld metals, 137
Welding
Studies on softening of heat-affected zone of pulsed-current GMA welded Al–Zn–Mg alloy, 216
Wire electric discharge machining
Optimization of the WEDM process of particle-reinforced material with multiple performance characteristics using grey relational analysis, 96

Yield criterion
Plastic deformation and yield criterion for compressible sintered powder materials, 174

Zn–22Al alloy
Superplastic micro-forming with a fine grained Zn–22Al eutectoid alloy using hot embossing technology, 17
ZrO_2 coatings
Stress analysis of high temperature ZrO_2 insulation coatings on Ag using finite element method, 239